

Rental Equipment



Call the Holt location nearest you Today!!!

Bloomington, IN
2170 Yost Avenue
(812) 333-9677
(800) 888-9677

Fort Wayne, IN
5400 Industrial Road
(260) 482-8576
(877) 845-5764

South Bend, IN
25166 State Road 2
(574) 232-1461
(877) 248-1713

Bowling Green, KY
4233 Russellville Rd
(270) 842-3400
(866) 528-9699

London, KY
140 James Lewis Rd
(606) 862-8447
(877) 231-7151

Indianapolis, IN
7355 E. 30th St.
(317) 544-3411
(800) 876-4690

Lafayette, IN
3201 South CR 460 East
(765) 447-6933
(800) 937-3355

Corporate Office
P.O. Box 436317
Louisville, KY
(502) 254-0758

Richmond, KY
3279 Lexington Road
(859) 623-2030
(800) 463-8722

Louisville, KY
13090 Aiken Road
(502) 253-3721
(800) 507-9705

www.holtequipment.net

Backhoes



Model	HP	Max. Digging Depth	Est. Operating Weight
310J	78	17' 11"	13,800
310SJ	91	18' 5"	14,430
410J	96	20'	15,000
710J	122	22'6"	23,000

Backhoe rentals include one (1) bucket.
Additional buckets are available for a nominal fee.

Crawler Dozers



Model	HP	Est. Operating Weight	Blade
450J	70-74	17,525	6 Way
550J	80	18,252	6 Way
550J-LGP	84	18,252	6 Way
650J	90	19,750	6 Way
650J-LGP	99	19,750	6 Way
700J	115	27,900	6 Way
700J-LGP	115	27,900	6 Way
750J	145-155	36,725	6 Way
750J-LGP	145-155	36,725	6 Way
750J-WT	145-155	36,425	Outside
850J	185-200	45,075	6 Way
850J-LGP	185-200	45,075	6 Way
850J-WT	185-200	41,285	Outside
950J	247	56,361	Semi-U
950J-LGP	247	59,255	Straight
1050J	335	86,831	Semi-U



Excavators



Model	Est. Operating Weight	Max Dig Depth	Transportation Width
75C	17,714	15' 1"	8' 1"
80C	15,905	16' 1"	7' 9"
120C	29,250	19' 6"	8' 10"
135C RTS	30,440	19' 9"	8' 10"
160D LC	39,980	21' 4"	8' 10"
180C W (wheeled)	42,549	19' 3"	8' 4"
200D LC	49,940	21' 11"	10' 6"
225D LC	53,936	22'	10' 6"
240D LC	54,654	24' 7"	11' 1"
270D LC	63,425	25' 11"	11' 1"
350D LC	77,269	26' 10"	11' 1"
450D LC	106,180	27' 2"	12' 5"
650D LC	152,190	30'	13' 9"

Excavator rentals include one (1) bucket.
Additional buckets are available for a nominal fee.

4WD Loaders Z-Bar



Model	Est. Operating Weight	Bucket Capacity (Cu. Yd.)	Eng HP
304J	13,404	1.4	73
344J	18,761	2	98
444J	25,635	2.5	128
544J	29,059	3	167
624J	34,068	3.5	198
644J	40,224	4.25	225
724J	40,426	4.75	250
744J	53,116	5.75	288
824J	58,404	6.75	316
844J	68,820	8.1	380

Articulated Dump Trucks



Model	Rated Payload	Heaped Capacity (Cu. Yd.)	Eng HP
250D	39,021	25	265
300D	40,124	30	285
350D	58,919	35	380
400D	63,603	40	413

4WD Loaders Powerllel (Parallel Lift)



Model	Est. Operating Weight	Bucket Capacity (Cu. Yd.)	Eng HP
444J	26,213	2.5	128
544J	30,459	3	167
624J	36,079	3.5	198

Forks - Optional

Motor Graders



Model	Est. Operating Weight	Moldboard	Eng HP
NorAm 65E	16,800	10'	110
670D	37,790	12'	185
770D	39,180	12'	215
672D AWD	39,410	12' / 14'	185
772D AWD	40,790	14'	230

Crawler Loaders



Model	Ldr. Dump Clearance	Ldr Bucket Capacity (Cu. Yd.)	Est. Operating Weight
605C	8' 9"	1.7	23,600
655C	9' 3"	2.35	33,950
755D	10'	3.14	45,768

Scraper Tractors



Model	Est. Operating Weight	Eng HP	Bucket Capacity (Cu. Yd.)
762B	35,500	180	11.5
862B	49,200	268	17
9520/30	47,000	450	
9630	49,000	530	

Add'l Fees - Set Up, Set Up On Dual (min. 2 hrs.)
Mileage & Travel Time - Billed Separately.

Pull Pans



Model	Est. Operating Weight	Type	Heaped Capacity (Cu. Yd.)
1810C	20,500	Carry-All	18
1810E	22,500	Ejector	18.3
1812C	18,950	Carry-All	18
2112E	27,200	Ejector	21

Add'l Fees - Set Up, Min 1 hour per pan for Hook-up or Un-hook.
Mileage & Travel Time - Billed Separately.

Attention New Customers Finance / Credit Information

To expedite future rentals, remit your credit application for an account today.

1. Go to holtequipment.net.
2. On the home page click on the finance button.
3. Click on [Download Credit Application](#).
4. Once the application is completed, signed and dated you can either mail or fax it.
5. Mail to - Attn:Credit Manager, PO Box 436317, Louisville, KY 40253-6317.
6. Questions regarding credit - Credit Manager 502-814-2788.




Compactors



Model	Operating Width	Drum Type	Application Type
47" DD Asphalt	47	Smooth	Asphalt
54" Padfoot	54	Padfoot	Clay
66" Padfoot	66	Padfoot	Clay
66" Smoothdrum	66	Smooth	Gravel/Dirt
84" Padfoot	84	Padfoot	Clay
84" Smoothdrum	84	Smooth	Gravel/Dirt
78" DD Asphalt	78	Smooth	Asphalt

Machines & Hammers



Model	Foot Pound of Energy	Carrier	Est. Operating Weight
310 / HP1100	1000	Backhoe	15,280
200D / HP3000	4000	Excavator	52,510
240D / HP5000	5000	Excavator	59,404
350D / HP7500	7500	Excavator	83,429
450D / HP10,000	10,000	Excavator	114,320

Rate Determination - Rates are based on 8-hour day, 40-hour week, 160-hour month. Excess hours as recorded by hour meter prorated to 1/2 rate effective period utilized. Above rates do not include tax, damage waiver, fuel, freight or 2% environmental fee.

Delivery & Return - All rates quoted by Holt Equipment Co., (Louisville, Lexington, Indianapolis, Bloomington, Lafayette, London, Bowling Green, Fort Wayne, South Bend) yards. Call for delivery and pick-up rates.

Insurance - Customer shall carry and provide proof of adequate public liability and property damage insurance. Customer shall also insure rented equipment at its full value against all risk of physical damage and loss including vandalism and theft.

Compact Track Loaders



Model	HP	Operating Capacity (lbs) @50%	Est. Operating Weight
CTL 55	52	1250	5952
CTL 60/65	66	2315	7497
CTL 60/65 with Cab	66	2315	7660
CTL 70/75	81	2976	9590
CTL 70/75 with Cab	81	2976	7740
CTL 80/85	97	3528	10692
CTL 80/85 with Cab	97	3528	10850

Hydraulic Mini Excavator



Model	HP	Est. Operating Weight	Dig Depth
153 OROPS	18	3759	7'9"
223 OROPS	18	4447	8'7"
353 Cab	32	7715	11'7"
383Z OROPS	28.8	7826	11'
383Z Cab AC	28.8	8002	11'
503Z Cab AC	38	10582	12'8"
753Z Cab AC	69	16975	14'2"
803 Cab AC	69	17548	15'

Telescopic Forklift



Model	Est. Operating Weight	Lift Height	Max. Lift Capacity
RS5 - 19	10000	19'1"	5500
RS6 - 34	15100	34'3"	6000
RS6 - 42	22000	42'	6600
RS8 - 44	23500	44'	8000
DL11 - 55	28460	55'	5500

Skid Steers



Model	HP	Operating Capacity (lbs)	Est. Operating Weight
4640	54	1650	6200
4840/5240	54	1900	6480
5640	60/82T	2200	7380
5640 High Flow	82T	2200	7450
6640	82T	2600	7800
6640 High Flow	82T	2600	7900
7810	74T	3675	10260

Light Construction Attachments

Product	Company	Description	Weight
Manual Grapple (753Z)	Edge	Wbrau	409
P - Auger (Hex)	Edge	Chain Drive	390
P - Auger (Hex)	Edge	Hyd Drive	372
Auger Bit	Edge	8-18	
Auger Bit	Edge	24-36	
Angle Broom	Edge	6' / 7'	972-1103
Hopper/Bucket Broom	Edge	72"	910
Cold Planer	Edge	18 - 24"	1060/1150
Forks	Edge	42 "	425/445
Ind. Grapple Bkt	Edge	66 - 72"	995/1025
Hammer	TBD	500	723
Hammer	TBD	400 - 2000	903
Rockhound / Auto Rake	Edge	76"	1200
Trencher	Edge	48"	915
Eliminator	Edge	6' - 7'	395-425
Tracks	Edge		
Preparator	Edge	66"	1270
Backhoe	Edge	9'	1650
Grader Rake	Edge	92"	650
Grader Blade	Edge	8'	1320
Tree Spade	Caretree	36"	1050
Harley Rake	Edge	7'	1050
MP Bucket (4-1)	Edge	66/72	850
GP Bucket (Extra)	Edge	66/72	550
Dozer Blade	Edge	84"	1453
Brush Grapple	Edge	78"	960
Brush Rake	Edge	78"	1095
Work Platform	Gehl	48x50x114"	475
Work Platform W/PWP	Gehl	48x50x114"	475
180 deg Swing Platform	Gehl	48x50x114"	
180 deg Swing Platform w/PWP	Gehl	48x50x114"	
Truss Boom	Gehl	12'	585
Bucket	Gehl	1.3 CYD	860



Rental Products Subject to Availability.